

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20010201" and node with cluster same network and collect and (backup or archiv\$) with node and restore with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:06
L2	15	@ad<"20010201" and node same network and collect and (backup or archiv\$) with node and restore with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:06
L3	14	@ad<"20010201" and node same network and collect and (backup or archiv\$) with node and restore with node and (configu\$ or setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:07
L4	0	@ad<"20010201" and node same network and collect and (backup or archiv\$) with node and restore with node same (configu\$ or setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:07
L5	1	@ad<"20010201" and node same network and collect and (backup or archiv\$) with node and restore same node same (configu\$ or setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:07
L6	245	@ad<"20010201" and (QoS or (quality with information)) and packet same delay same (loss or lost) same (congestion or flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:08
L7	1	@ad<"20010201" and (QoS or (quality with information)) and packet same delay same (loss or lost) same (congestion or flow) and rout\$ same path same packet and user same time same charge with information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:10
S1	2	("20020120708").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:48
S2	288	@ad<"20010201" and node same network and memory and backup with memory and (send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:50

S3	130	@ad<"20010201" and node same network and memory and backup with memory and (send or receive or transmit) and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:51
S4	38	@ad<"20010201" and node same network and memory and backup with memory and (send or receive or transmit) with configurat\$ and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:53
S5	2	@ad<"20010201" and node same cluster same network and memory and backup with memory and (send or receive or transmit) with configurat\$ and synchroniz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:53
S6	3	@ad<"20010201" and node same cluster same network and memory and backup with memory and (send or receive or transmit) with configurat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:03
S7	7	@ad<"20010201" and node same (group or cluster) same network and memory and backup near memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:13
S8	18	@ad<"20010201" and node same (group or cluster) same network and memory and backup near3 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:26
S9	2703	@ad<"20010201" and (709/223. ccls. or 709/228.ccls. or 709/243. ccls. or 709/214.ccls. or 709/216. ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:28
S10	1	@ad<"20010201" and (709/223. ccls. or 709/228.ccls. or 709/243. ccls. or 709/214.ccls. or 709/216. ccls) and primary near memory and backup near memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:29
S11	1	@ad<"20010201" and (709/223. ccls. or 709/228.ccls. or 709/243. ccls. or 709/214.ccls. or 709/216. ccls) and primary near memory and backup near memory and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:41
S12	10	@ad<"20010201" and node with network same primary same (secondary or backup) near memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:41

S13	10	@ad<"20010201" and node with network same primary near memory same (secondary or backup) near memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:39
S14	3099	@ad<"20010201" and node with network and (backup or archiv\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:39
S15	70	@ad<"20010201" and node same information with management with system with network and (backup or archiv\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:56
S16	40	@ad<"20010201" and node with network and collect with information and (backup or archiv\$) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:56
S17	29	@ad<"20010201" and node with network and collect with information and (backup or archiv\$) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:56
S18	22	@ad<"20010201" and node with network and collect with information and (backup or archiv\$) with node and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:59
S19	53	@ad<"20010201" and node with cluster same network and collect and (backup or archiv\$) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:58
S20	7	@ad<"20010201" and node with cluster same network and collect and (backup or archiv\$) with node and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:06
S21	0	"6671737".pn. and second with backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:32
S22	1	"6671737".pn. and second with (backup or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:32